epd-norge.no
The Norwegian EPD Foundation

# ENVIRONMENTAL PRODUCT DECLARATION

In accordance with ISO 14025

| | |
|---|---|
| Owner of the declaration | Svenheim Møbelindustri AS |
| Program holder and publisher | The Norwegian EPD Foundation |
| Declaration number | NEPD-1492-505-EN |
| Issue date | 02.02.2018 |
| Valid to | 02.02.2023 |

## IRIS school furniture 5A4 - w/ shelves, glass doors, HP laminate

Product

Svenheim Møbelindustri AS

Manufacturer

IRIS – Svenheims' functional school furniture range offers a number of cabinets for various purposes, tables for teachers as well as pupils of all age groups. The robust construction and quality materials ensure a long-term intensive use. From our school furniture range you can form a functional environment for productive and creative work.

School cabinets available in white, grey, birch and beech melamine faced chipboard, various high pressure laminate colors for fronts and MDF as core material are optional.

## General information

**Product**
IRIS høyskap 2A4 dører nederst, 3A4 glass dører øverst

**Owner of the declaration:**
Svenheim Møbelindustri AS
Contact person: Karolina Klimaitė
Phonenr. +37065771148
Email: post@svneheim.no

**General Information**
The Norwegian EPD Foundation
Post Box 5250 Majorstuen, 0303 Oslo
Phone: +4723088000
e-mail: post@epd-norge.no

**Manufacturer**
UAB Svenheim

**Declaration number:** NEPD-1492-505-EN

**Place of production:**
Alytus, Lithuania

**This declaration is based on Product Category Rules:**
PCR for furniture, NPCR 021, Norwegian EPD Foundation

**Management system:**
ISO 14001, Certificate No. 81858-2010-AE-LUT-FINAS
ISO 9001, Certificate No. 81860-2010-AQ-LTU-FINAS
Accredited unit: DNV Certification OY/AB, Finland

**Declared unit:**
2100x1000x470

**Org. No:**
No. 950740213

**Declared unit with option:**

**Issue date:**
02.02.2018

**Functional unit:**

**Valid to:**
02.02.2023

**This EPD has been worked out by:**
The declaration has been developed using Furniture EPD Tool Version 1.3.2, Approval: NEPDT04
Company specific data collected and registered by:
**Data Collector** Karolina Klimaitė
Company specific data audited by:
**Data Auditor** Linas Vosylius

**Comparability:**
EPDs from programmes other than the Norwegian EPD Foundation may not be comparable

**Year of study:**
2018

**Verification:**
Independent verification of data, other environmental information and EPD has been carried out in accordance with ISO14024, 8.1.3. and 8.1.4.

externally

Approved

Mie Vold, Senior Research Scientist
(Independent verifier approved by EPD Norway)

Håkon Hauan
Managing Director of EPD-Norway

| Key environmental indicators | Unit | Cradle to Gate A1-A3 |
|---|---|---|
| Global warming | kg $CO_2$ | 60 |
| Total energy use | MJ | 2275 |
| Amount of recycled materials | % | 3% |

## Product

**Product Description and Application**
School cabinets available in white, grey, birch and beech melamine faced chipboard, various high pressure laminate colors for fronts and MDF as core material are optional.

**Technical Data**
Total Weight: 70,24 kg (packaging 2,44 kg)

**Market**
Europe

**Reference Service Life**
15 years

| Materials | | | Recycled material in manufactured product | | Recyclable material at end of product life | |
|---|---|---|---|---|---|---|
| Unit | kg | % | % | kg | % | kg |
| Wood | 66,49 | 95% | 0% | 0,00 | 0% | 0,00 |
| Packaging | 2,44 | 3% | 76% | 1,85 | 100% | 2,44 |
| Other | 0,54 | 1% | 0% | 0,00 | 0% | 0,00 |
| Melamine | 0,42 | 1% | 0% | 0,00 | 0% | 0,00 |
| ABS | 0,35 | 1% | 0% | 0,00 | 0% | 0,00 |
| Total | 70,24 | | 3% | | 3% | |




Product manufactured from 3% recycled material
At end of life product contains 3% recyclable material

## LCA: Calculation rules

**Declared Unit**
Product of one IRIS cabinet 2100x1000x470 provided and maintained for a period of 15years

**System Boundary**
Life cycle stages included are described in figure and through the corresponding letter and number designations in the




**Data quality**
Lorem ipsum dolor sit amet, consectetur adipiscing elit. Pellentesque condimentum tincidunt viverra. Maecenas euismod, lorem ac semper fermentum, risus ante sagittis nunc. vel ullamcorper elit felis sodales massa. Sed at ante

**Cut-off criteria**
All major raw materials and all the essential energy is included. The production processes for raw materials and energy flows that are included with very small amounts (<1%) are not included. This cut-off rule does not apply for hazardous materials and substances

**Allocation**
Where virgin materials are used, emissions and energy consumption connected with extraction and production are included.
Where recycled materials are used in the product, emissions and energy consumption related to the recycling process are included.
Emissions from incineration are allocated to the product system that uses the recovered energy.
Emissions from incineration of waste are allocated to the product system that uses the recovered energy.

## LCA: Scenarios and additional technical information

Transportation to an average customer in Norway (Jessheim) is 1306 km
(A4: average European lorry > 32 tonnes) 881,55km by lorry (>32) and 424,45km by sea transport.
In the end of life stage, the transport distance for waste to waste processing is 72 km (C1). The reuse, recovery and recycling stage is beyond the system boundaries (D). It is assumed that the solution is dismantled and the materials recycled or combusted according to the general Norwegian treatment of industrial waste (see the table below). The transport distance to reuse, recovery or recycling is varying for each material, but the average distance is 373 km. The vehicles used and associated data are described in detail in [5].

| | Material recovery | Energy recovery | Disposal |
|---|---|---|---|
| Aluminium | 70,1 % | 0,0 % | 30 % |
| Steel | 70,1 % | 0,0 % | 30 % |
| Plastic | 64,3 % | 30,8 % | 5 % |
| Cardboard | 94,5 % | 5,5 % | 0 % |

## LCA: Results

The following information describe the scenaries in the different modules of the EPD.

### System boundaries (X=included, MND=modul not declared, MNR=modul not relevant)

| Product stage | | | Construction stage | | Use stage | | | | End of life | | | Beyond the system boundaries |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Raw materials | Transport | Manufacturing | Transport | Construction | Maintenance | Repair | Replacement | Operational energy use | Transport | Waste Processing | Disposal | Reuse-recovery-recycling potential |
| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | C1 | C2 | C3 | D |
| x | x | x | x | MNR | x | MNR | MNR | MNR | x | x | x | x |

### Environmental impact (INA = Indicator Not Assessed)

| Parameter | A1 | A2 | A3 | A1-A3 | A4 | B1 | C1 | C2 | C3 | C1-C3 | D |
|---|---|---|---|---|---|---|---|---|---|---|---|
| GWP | 39,4 | 0,6 | 19,8 | 59,8 | 5,9 | 0,0 | 3,0 | 4,7 | 16,5 | 24,2 | -3,3 |
| ODP | 4,7E-06 | 1,1E-07 | 1,2E-06 | 6,0E-06 | 1,1E-06 | 0,0 | INA | INA | INA | INA | -2,3E-07 |
| POCP | 2,0E-02 | 9,9E-05 | 1,3E-02 | 3,2E-02 | 1,1E-03 | 0,0 | INA | INA | INA | INA | -2,3E-03 |
| AP | 0,1 | 5,3E-04 | 0,1 | 0,1 | 5,6E-03 | 0,0 | INA | INA | INA | INA | -4,2E-03 |
| EP | 0,2 | 2,4E-03 | 0,1 | 0,3 | 2,7E-02 | 0,0 | INA | INA | INA | INA | -8,5E-03 |
| ADPM* | 1,5E-04 | 1,1E-06 | 3,1E-05 | 1,8E-04 | 1,1E-05 | 0,0 | INA | INA | INA | INA | -1,8E-05 |
| ADPE | 699,1 | 9,0 | 237,4 | 945,5 | 89,6 | 0,0 | INA | INA | INA | INA | -64,7 |

GWP Global warming potential (kg CO2-eqv.); ODP Depletion potential of the stratospheric ozone layer (kg CFC11-eqv.); POCP Formation potential of tropospheric photochemical oxidants (kg C2H4-eqv.); AP Acidification potential of land and water (kg SO2-eqv.); EP Eutrophication potential (kg PO4-3-eqv.); ADPM Abiotic depletion potential for non fossil resources (kg Sb -eqv.); ADPE Abiotic depletion potential for fossil resources (MJ);

* Some processes use Ecoinvent 3.0.1. and thus data on renewable resources is omitted. The true ADPM, RPEE, RPEM and TPE may be higher than indicated. This issue will be addressed in a new version of Ecoinvent 3, data from which was not available when this declaration was prepared.

### Resource use (INA = Indicator Not Assessed)

| Parameter | A1 | A2 | A3 | A1-A3 | A4 | B1 | C1 | C2 | C3 | C1-C3 | D |
|---|---|---|---|---|---|---|---|---|---|---|---|
| RPEE* | 892,9 | 0,1 | 237,9 | 1131,0 | 1,4 | 0,0 | INA | INA | INA | INA | -0,6 |
| RPEM* | 568,3 | 4,7E-02 | 155,2 | 723,5 | 0,5 | 0,0 | INA | INA | INA | INA | -3,3 |
| TPE* | 1461,2 | 0,2 | 393,0 | 1854,4 | 1,9 | 0,0 | INA | INA | INA | INA | -3,8 |
| NRPE | 758,8 | 9,2 | 376,2 | 1144,2 | 91,4 | 0,0 | INA | INA | INA | INA | -63,3 |
| NRPM | 15,1 | 0,0 | 0,0 | 15,1 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| TNRPE | 773,9 | 9,2 | 376,2 | 1159,4 | 91,4 | 0,0 | INA | INA | INA | INA | -63,3 |
| SM | 1,9 | 0,0 | 0,0 | 1,9 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| RSF | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| NRSF | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| W | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |

RPEE Renewable primary energy resources used as energy carrier (MJ); RPEM Renwable primary energy resources used as raw materials (MJ); TPE Total use of renewable primary energy resources (MJ); NRPE Non renewable primary energy resources used as energy carrier (MJ); NRPM Non renewable primary energy resources used as materials (MJ); TNRPE Total use of non renewable primary energy resources (MJ); SM Use of secondary materials (kg); RSF Use of renewable secondary fuels (MJ); NRSF Use of non renewable secondary fuels (MJ); W Use of net fresh water (m3);

### End of life - Waste and Output flow (INA = Indicator Not Assessed)

| Parameter | A1 | A2 | A3 | A1-A3 | A4 | B1 | C1 | C2 | C3 | C1-C3 | D |
|---|---|---|---|---|---|---|---|---|---|---|---|
| HW | 5,9E-04 | 5,3E-06 | 4,4E-04 | 1,0E-03 | 5,3E-05 | 0,0 | INA | INA | INA | INA | 0,0 |
| NHW | 12,6 | 0,8 | 5,0 | 18,4 | 8,2 | 0,0 | INA | INA | INA | INA | -0,3 |
| RW | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| CR | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| MR | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| MER | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| EEE | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |
| ETE | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | 0,0 | INA | INA | INA | INA | 0,0 |

HW Hazardous waste disposed (kg); NHW Non hazardous waste disposed (kg); RW Radioactive waste disposed (kg); CR Components for reuse (kg); MR Materials for recycling (kg); MER Materials for energy recovery (kg); EEE Exported electric energy (MJ); ETE Exported thermal energy ( MJ);

## Specific Norwegian requirements

### Electricity

The electricity consumed is assumed to be from East pool mix in the East European countries. European mix and energy mix in Lituania is based on data from the Wold bank. (Based on data 2011.)

Electricity mix: 0,053 kg CO2 eqv/MJ (East Europen mix)

### Dangerous Substances

None of the following substances have been added to the product: Substances on the REACH Candidate list of substances of very high concern (of '16.06.2014) substances on the Norwegian Priority list (pr.17.06.2013) and substances that lead to the product being classified as hazardous waste. The chemical content of the product complies with regulatory levels as given in the Norwegian Product Regulations

### Indoor Environment

According to ISO 14001

### Climate Declaration

Not relevant

## Bibliography


[1] NS-EN ISO 14025:2006, Environmental labels and declarations-Type III environmental declarations-Principles and procedures.

[2] NS-EN ISO 14044:2006, Environmental management - Life cycle assessment - Requirements and guidelines

[3] EN 15804:2012 + A1:2013 Sustainability of construction works - Environmental product declaration - Core rules for the product category of construction products

[4] Product category rules (PCR) for preparing an environmental product declaration for: Product Group Seating Solution NPCR 003: 2015; Product Group Plate Furniture NPCR 021: 2012

[5] Raadal, H. L., Modahl, I. S., Lyng, K. A. (2009). Klimaregnskap for avfallshåndtering, Fase I og II. OR 18.09. ISBN : 978-82-7520-611-2, 82-7520-611-1

[6] Brekke, A., Møller, H., Baxter, J., Askham, C. (2014). Verktøy - miljødeklarasjon for møbel Dokumentasjon som grunnlag for verifisering, Ostfold Research



| | | |
|---|---|---|
| epd-norge.no The Norwegian EPD Foundation | **Program Holder and Publisher**<br>The Norwegian EPD Foundation<br>Post Box 5250 Majorstuen, 0303 Oslo<br>Norge | Phone: +4723088292<br><br>email: post@epd-norge.no<br>web: www.epd-norge.no |
| Svenheim | **Owner of the Declaration**<br>Svenheim Møbelindustri AS<br>Ulefossveien 48<br>3730 SKIEN - Norway | Phone: +4781570790<br><br>email: post@svenheim.no<br>web: www.svenheim.no |
| Østfoldforskning | **Author of the Life Cycle Assessment**<br>Østfoldforskning AS<br>Stadion 4<br>1671 Kråkerøy | Phone: +4769351100<br><br>email: post@ostfoldforskning.no<br>web: www.ostfoldforskning.no |