TELLUS work desks

Product information

www.svenheim.no

Svenheim

Product information - TELLUS work desks

The series consists of a number of different components which can be combined to meet your needs, both in terms of functionality and optimal utilization of the office space. We have emphasized optimal space utilization and freedom of choice by offering a big selection of table top shapes and sizes.

Standard clolors

Veneer

Birch | Beech | Oak | Ash | White-pigmented ash

Laminate (HPL)

White | Grey | Ash

MFC

Birch | Beech | White | Grey | Ash

Straight edge

Tabletops are made of 22 mm chipboard.

ASTRO	
Total legs	2 or 3
Foot length	500 (centric); 700 or 900 (centric or eccentric)
Foot form	Flat
Column form	Square
Height regulation (incl. tabletop)	650 mm (min 622 - max 1272)
Beams	Telescopic or fixed length.
Colour	White (RAL 9010), Grey (RAL 9006), Black (RAL 9005).
Sound level	<45 dB
Lifting speed (without load)	36 mm/sec
Standby el. consump.	<0,3 W
Load capacity	50 kg/leg

Leg systems



ASTRO SQUARE ELECTRIC



ASTRO SQUARE MANUAL

ASTRO MANUAL	
Foot length	500 (centric); 700 or 900 (centric or eccentric)
Foot form	Flat
Column form	Square
Regulation (incl. tabletop)	Manual regulation 588-788 (stroke 200 mm)
Beams	Telescopic or fixed length.
Colour	White (RAL 9010), Grey (RAL 9006), Black (RAL 9005), Chrome.



APOLLO



ZOOM

ZOOM	
Diameter	Ø50
Foot form	Round
Regulation (incl. tabletop	Manual regulation 650-800 mm
Beams	Without

APOLLO	
Foot length	450 or 700
Foot form	Rectangular
Column form	Rectangular
Regulation (incl. tabletop)	Manual regulation 610-810 mm
Beams	Fixed beams 238 - 2038 or without

TELLUS TABLETOPS

Length: 300 / 600 / 800 / 1000 / 1200 / 1400
Width: 600

Length: 300 / 800 / 1000 / 1200 / 1400 / 1600 / 1800 / 2000 Width: 800



Ø: 700 / 800 / 900 / 1000 / 1200

Length: 1200

Length: 1200 Width: 800

Length: 1600 Width: 800

Length: 1800 Width: 900

Length: 1800 Width: 900



Length: 2000 Width: 1200

Length: 1600 Width: 1200

Length: 1800 Width: 1200



Length: 1000 Width: 1200

Length: 1000 Width: 1000

Length: 1200 Width: 1200

Length: 1050 Width: 1050

Length: 1500 Width: 1500

Core material	Chipboard
Edge	Edging 2 mm
Finishing	UV clear laquer on veneer
Corners	90 deg
Thickness	22 mm

Cable holes and hatches can be ordered already cutted out.

LL = left
LC = center
LR = right

Accessories

It is possible to supplement with accessories such as table screens, shelves, pen cups and note boards in several variants and combinations. See our catalog or website.

Our production is certified according to ISO 9001 and 14001. EPD is available. Our office in Norway has Miljøfyrtårn certificate.

Tellus is certificated accordingly to standards:

EN 527-1:2011, EN 527-2:2002, EN527-3: 2003,
NS-EN 12720, NS-EN 12722, NS 8057, NS 8058

Cleaning and maintenance

General

Svenheim uses materials and surfaces that are resistant. No special maintenance beyond normal is required cleaning. Recommended cleaning method is cloth soaked in slightly warm water with a mild synthetic detergent. Avoid green soap or substances containing ammonia. Do not use solvents or cleaning detergents with abrasive / scouring powder.

Powder coated steel components

Used for table base. Clean as under «general» suggestions. Difficult stains are removed with chemical gasoline. Do not use solvents or cleaners with abrasive / scouring powder. Installation instructions for base are enclosed.

Recycling

Sorting is a natural part of Svenheim's production and material handling. Steel components included in our products are 100% recyclable. Plates from Svenheim can be recycled as heat at approved heating systems. Plastic and metal is delivered to approved environmental stations. Svenheim is a member of the return schemes Green Dot Norway for packaging and Eurovironment (Electrical return) for electrical components.

For orders and other questions please contact us at:
e-mail: post@svenheim.no; tel. +47 35 58 75 00 check our website www.svenheim.no

Ask for more detailed information about FSC® certified products