Svenheim

VESTA

www.svenheim.no

PRODUCT INFORMATION

Ideal for open office environments, Vesta screens offer an excellent acoustic solution to absorb sound and reduce noise levels. They help create a more focused and productive workspace by separating working areas and minimizing distractions.

VESTA TECHNICAL INFORMATION

Length: L: 800/ 1000/ 1200/ 1400/ 1600/ 1800/ 2000mm; Custom on WEB configurator.
Height: 650mm (500mm over desk); Custom on WEB configurator.
Thickness: 40mm.
Construction: Wooden frame 30mm, 5mm foam, 30mm rockwoll and fabric.
Shape*: 4 rounded (R30) corners (zipper at the bottom); Other options on WEB configurator.
Weight (kg): Depending on the size (min. 3,9kg, max. 10,6kg).
Mounting: Brackets and clamps 2 brackets on all sizes.
Function list fixing possibility: Yes.
Sound absorbtion value (N-10): Depending on the size (min. 6,7, max. 17).

TEXTILES

Gabriel

Velito Presto (88% wool, 12% Polyamide)

2130 0599 0570 0506 2128 0516 0527 0537 0556

Event Screen+ (100% polyester)

60002 60004 60999 61008 61011 67015

Kvadrat

REMIX Screen (90% new wool, worsted 10% nylon)



0128 0138 0148 0158 0188 0228 0288 0328



0358 0408 0528 0608 0688 0818 0908 0998

Camira

Cara (100% Polypropylene)



EJ004 EJ033 EJ048 EJ104 EJ189 EJ192

ACCESSORIES

Flower pot

Mirror



Pen cup

Document shelf



Hook



Whiteboard

*Accessories available in white and anthracite colors.

5 year warranty against material and production errors
We guarantee that your employees' everyday lives will be as hassle-free as possible.

Recycling
Sorting is a natural part of Svenheim's production and material handling. Steel components included in our products are 100% recyclable. Plates from Svenheim can be recycled as heat at approved heating systems. Plastic and metal is delivered to approved environmental stations. Svenheim is a member of the return schemes Green Dot Norway for packaging and Eurovironment (Electrical return) for electrical components.

Cleaning and maintenance

General
Svenheim uses materials and surfaces that are resistant. No special maintenance beyond normal is required cleaning. Recommended cleaning method is cloth soaked in slightly warm water with a mild synthetic detergent. Avoid green soap or substances containing ammonia. Do not use solvents or cleaning detergents with abrasive/scouring powder.

Powder coated steel components
Used for table base. Clean as under «general» suggestions. Difficult stains are removed with chemical gasoline. Do not use solvents or cleaners with abrasive/scouring powder. Installation instructions for base are enclosed.

Quality assurance (Warranty)
Svenheim places high demands on quality both in terms of raw materials and processes in connection with product development, order processing, production, logistics and distribution. Our production unit in Lithuania, UAB Svenheim, is certified according to quality management standards ISO 9001 and 14001. Investing in quality furnishings from Svenheim means that you buy products that are easy to complete and repair, with market-adapted guarantees.

Our production is certified according to ISO 9001 and 14001. EPD is available. Our office in Norway has Miljøfyrtårn certificate.

Head office and production
Naujoji str. 132 LT-62175 Alytus, Lithuania
Email info@svenheim.lt
Phone no +370 315 76035
www.svenheim.com

NORDIC ECOLABEL

epd

MÖBELFAKTA

FSC
www.fsc.org
FSC® C117767
The mark of responsible forestry
Look for our FSC® certified products