FACTOR LITE meeting tables

Product information

www.svenheim.no

Svenheim

Product information - Factor Lite meeting tables

Factor Lite is an extension of the Factor conference table family. It follows the design of the Factor conference table, but is lighter and slimmer version. The table top is made of 22 mm MDF with a chamfered or straight edge and has slimmer metal legs 50x30 mm, powder coated in white, gray or black. The same great variety of standard decors and the same heights as Factor can nicely complement an office environment, where a small meeting table is needed.

STANDARDD ECORS

White
Grey
Anthracite

Birch veneer
Beech veneer
Oak veneer
White-pigmented oak
Black stained oak

Mushroom linoleum 4176 DT
Ash linoleum 4132 DT
Pebble linoleum 4175 DT
Charcoal linoleum 4166 DT

METAL LEGS

White
Black
Grey

Straight edge
Chamfered edge

Core material	MDF Rectangular, square, round On
Tabletop form	veneer decors. If straight edge - edging
Edge	2 mm; if chamfered edge - edging 2 mm on straight part and clear laquered on chamfered part. On laminate or linoleum decors.
	If straight edge - edging 2 mm; if chamfered edge - edging 2 mm on straight part and painted on chamfered part.
Decors	Veneer structure is following tabletop lenghtwise.
	Tabletops and hatches in white or grey are made with high pressure laminate.
Finishing	UV clear laquer on veneer.
Corners	90 degrees
Thickness	22 mm
Legs	Metal: white (RAL 9010), grey (RAL 9006), black (RAL 9005)
	Metal legs: 50x30 mm
Table height	50 cm, 74 cm, 90 cm, 105 cm

FACTOR LITE tabletop sizes



Accessories

TRELUKE

KABELBRØNN FOR LUKER
I KONFERANSEBORD

POWERDOT
1 POWER, 2X USB
HVIT ELLER SORT

Our production is certified according to ISO 9001 and 14001. EPD is available. Our office in Norway has Miljøfyrtårn certificate.

Factor is tested accordingly to theese standards:

EN 15372; EN 1730;
Tabletops EN 12720:2009+A1:2013; ISO 105-E04;
EN 12722:2009+A1:2013; SS 83 91 11; SS 83 91 20;
SS 83 91 22; SS 83 91 23; SIS 83 91 17; NS 8061;

Cleaning and maintenance
General

Svenheim uses materials and surfaces that are resistant. No special maintenance beyond normal is required cleaning. Recommended cleaning method is cloth soaked in slightly warm water with a mild synthetic detergent. Avoid green soap or substances containing ammonia. Do not use solvents or cleaning detergents with abrasive / scouring powder.

Powder coated steel components

Used for table base. Clean as under «general» suggestions. Difficult stains are removed with chemical gasoline. Do not use solvents or cleaners with abrasive / scouring powder. Installation instructions for base are enclosed.

Recycling

Sorting is a natural part of Svenheim's production and material handling. Steel components included in our products are 100% recyclable. Plates from Svenheim can be recycled as heat at approved heating systems. Plastic and metal is delivered to approved environmental stations. Svenheim is a member of the return schemes Green Dot Norway for packaging and Eurovironment (Electrical return) for electrical components.

For orders and other questions please contact us at:
e-mail: post@svenheim.no; tel. +47 35 58 75 00 check our website www.svenheim.no

Ask for more detailed information about FSC® certified products