TELLUS WORK DESK

Product information

Svenheim

TELLUS WORK DESK

The series consists of a number of different components which can be combined to meet your needs, both in terms of functionality and optimal utilization of the office space. We have emphasized optimal space utilization and freedom of choice by offering a big selection of table top shapes and sizes.

TELLUS WORK DESK TECHNICAL INFORMATION	
Core material and thickness	Chipboard (22mm)
Edging	Straight edging 2 mm
Finishing	UV clear laquer on veneer
Corners	90 grades
Legs	Electrical - round or square Manual - round or square Fixed height - round or square
Leg system	- Lifting min 625mm, max 1275mm - Lifting streight max 50 per leg
Feet type	Centric foot 90mm, Excentric foot 90mm, Centric foot 90mm with wheels
Beam type	Fixed, telescopic
Stroke	500mm, 650mm
Cutouts	- Position left, center, right - Hole size: 30, 50, 60, 80
Cable tray type	Cable tray (L=1156mm), Perforated cable tray (L=750mm)

Standard surface decor

VENEER

Beech

Birch

Oak

Oak white pigmented

Ash

Ash white pigmented

MFC

Beech

Birch

Ash

Amber oak

Grey

White

HIGH PRESSURE LAMINATES(HPL)

White


Grey

Standard leg system color

White
RAL 9010


Grey
RAL 9006

Black
RAL 9005

Eletrical leg systems

ASTRO	
Leg column	3
Stroke height	500mm, 650mm
Feet type	Excentric, centric, centric with wheels
Beam type	Fixed, telescopic
Shape	Square
Silence	Standart 43 dB

ROL ERGO ID	
Leg column	3
Stroke height	650mm
Feet type	Centric, centric with wheels
Beam type	Telescopic
Shape	Round, square
Silence	Standart 43 dB

ROL ERGO CD	
Leg column	2
Stroke height	650mm
Feet type	Centric foot 600mm
Beam type	Telescopic
Shape column	Square
Silence	Standart 43 dB

Manual leg systems

MANUAL HEIGH LEGS	
Leg column	2
Stroke height	200
Beam type	Fixed, telescopic
Feet type	Excentric, centric, centric with wheels
Shape	Round, Square

Fixed height leg

FIXED HEIGH LEGS	
Legs height	500, 735, 900, 1105
Beam type	Fixed lenght, telescopic
Feet type	Excentric, centric, centric with wheels
Shape	Round, Square
Beam type	Fixed, telescopic

Accessories



Cable feedthru

Powerdot

Wireless charger

Cable pipe flipable

Cable pipe

Cable spiral
w/fixing bracket

Monitor Arm



Vesta Screen



L: 1600 B:800

L: 1600 B:900

L: 1800 B:900

L: 2000 / 1600 / 1800 B:1200

L: 300 / 800 / 1000 / 1200 / 1400 /1600 /1800 /2000 B:800

L: 1200 / 1400 / 1600 / 1800 B:700

L: 300 / 600 / 800 / 1000 / 1200 / 1400 B:600

L: 1200

L: 1200 B:800

L:1000 B:1200

L:1000 B:1000

L:1200 B:1200



Ø: 600 / 700 / 800 / 900 / 1000 / 1200



L: 1050 B:1050

CABLE HOLE OR CABLE HATCHES CAN BE ORDERED READY



LL = left sidevenstre
LC = left center
LR = left right

Recycling

Sorting is a natural part of Svenheim's production and material handling. Steel components included in our products are 100% recyclable. Plates from Svenheim can be recycled as heat at approved heating systems. Plastic and metal is delivered to approved environmental stations. Svenheim is a member of the return schemes Green Dot Norway for packaging and Eurovironment (Electrical return) for electrical components.

5 year warranty against material and production errors

We guarantee that your employees' everyday lives will be as hassle-free as possible.

Cleaning and maintenance

General

Svenheim uses materials and surfaces that are resistant. No special maintenance beyond normal is required cleaning. Recommended cleaning method is cloth soaked in slightly warm water with a mild synthetic detergent. Avoid green soap or substances containing ammonia. Do not use solvents or cleaning detergents with abrasive / scouring powder.

Powder coated steel components

Used for table base. Clean as under «general» suggestions. Difficult stains are removed with chemical gasoline. Do not use solvents or cleaners with abrasive / scouring powder. Installation instructions for base are enclosed.

Quality assurance (Warranty)

Svenheim places high demands on quality both in terms of raw materials and processes in connection with product development, order processing, production, logistics and distribution. Our production unit in Lithuania, UAB Svenheim, is certified according to quality management standards ISO 9001 and 14001. Investing in quality furnishings from Svenheim means that you buy products that are easy to complete and repair, with market-adapted guarantees.

Our production is certified according to ISO 9001 and 14001. EPD is available. Our office in Norway has Miljøfyrtårn certificate.

Titan is certificated accordingly to standards: EN 14073-2:2004, EN 14073-3:2004, EN 14074:2004, ISO 7170:2005, NS-EN 12720, NS-EN 12722, NS 8057, NS 8058.

Head office and production

Naujoji str. 132 LT-62175 Alytus, Lithuania

Email info@svenheim.lt

Phone no +370 315 76035

www.svenheim.com

FSC www.fsc.org FSC® C117767 The mark of responsible forestry Look for our FSC® certified products

epd

MANAGEMENT SYSTEM CERTIFICATION DNV·GL ISO 9001 = ISO 14001

NORDIC ECOLABEL

GRØNT PUNKT